

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("20030046493").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 18:21
S2	4777	(711/118,154,156,160,166,167).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 18:33
S3	4	((5,913,224) or ("5,974,508")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 18:39
S5	455	(((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and Iru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:40
S4	3537	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:40
S6	443	(((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and Iru) and (time period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:41
S7	155	((((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and Iru) and (time period)) and ((clock time) with period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:42
S9	0	(((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (((clock time) with period) with bit) same Iru)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:44
S8	14	((((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and Iru) and (time period)) and (((clock time) with period) with bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 18:44
S11	9	"5619675".URPN.	USPAT	OR	ON	2004/10/25 18:49

S10	14	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (((clock time) with period) with bit) and lru)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:06
S12	0	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (lru same (bitmap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:07
S13	14	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (lru and bitmap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:10
S14	6	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (lru and ((us\$3 access\$3 ag\$3) with bitmap))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:13
S16	33	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (access with history) and lru	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:15
S15	62	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (access with history)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 19:15
S18	974	(cache and (lru near4 (field value data bit))) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 20:26
S17	1560	(cache and (lru with (field value data bit))) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 20:26
S22	239	((cache same (lru near2 (field value data bit))) and @ad <"20010831") and (writeback (write adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 20:27
S20	259	((cache same (lru near4 (field value data bit))) and @ad <"20010831") and (writeback (write adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 20:27

S19	807	(cache same (!ru near4 (field value data bit))) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 20:27
S21	628	(cache same (!ru near2 (field value data bit))) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 21:09
S23	83	(cache same (!ru near2 (field value data bit))) with (time epoch clock period)) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/25 21:11
S24	85	(cache same (!ru near2 (field value data bit))) with (time epoch clock period age)) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:08
S27	3	((non adj volatile) with (destructive with read)) and memory) and cache) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:09
S26	8	((non adj volatile) with (destructive with read)) and memory) and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 11:09
S25	79	((non adj volatile) with (destructive with read)) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 15:07
S28	42	((non adj volatile) with cache) and (!ru with time) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:38
S29	4	((non adj volatile) with cache) and (!ru with ((time near stamp) timestamp) clock)) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/26 16:39
S30	134	((non adj volatile) with cache) and !ru and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 15:26

S32	40	("4908793" "4972364" "5046043" "5070314" "5133060" "5197895" "5269019" "5274799" "5347428" "5353430" "5442752" "5466629" "5499337" "5519831" "5526482" "5542066" "5586291" "5615353" "5636355" "5701516" "5764945" "5787296" "5787466" "5806085" "5860083" "5890205" "5918244" "5963721" "6012140" "6023713" "6052789" "6072490" "6101574" "6122711" "6165006" "6175160" "6178479" "6263405" "6295577" "6370614").PN.	USPAT	OR	ON	2004/10/27 15:31
S31	79	((non adj volatile) with cache) and lru and @ad < "20010831") and ((writeback (write adj back) destage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:24
S34	8	pfram and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:29
S33	34	((non adj volatile) with cache) and lru and @ad < "20010831") and ((writeback (write adj back) destage) same lru)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:29
S35	1	(pfram and cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:35
S36	20	pfram	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:36
S39	185	(fram and cache) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:37

S38	185	fram and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:37
S37	4	pfram and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:37
S42	14	((destructive adj read) with cache)) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:39
S41	28	((destructive adj.read) with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:39
S43	47	mram same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 18:43
S45	91	((writeback (write adj back)) with lru) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 19:47
S47	366	((711/143).CCLS.) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:14
S46	422	(711/143).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/27 20:14
S48	28	((711/143).CCLS.) and @ad < "20010831") and (lru same time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:30
S49	20	(((711/143).CCLS.) and @ad < "20010831") and (lru same time)) and (writeback (write adj back) destage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:39

S51	558	((writeback (write adj back) destage) with dirty)) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:40
S50	701	((writeback (write adj back) destage) with dirty)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:40
S52	27	(((writeback (write adj back) destage) with dirty)) and @ad < "20010831") and (lru with (time clock period))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/27 20:41
S56	14	((destructive adj read) with cache)) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:15
S57	1	(pfram and cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:22
S60	27	fram same cache and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:35
S59	25533	fram same cache and @ad "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:35
S40	41	fram same cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 20:35
S62	1250	(magnetic with cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:02
S61	1991	(magnetic same cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:02

S44	13	(mram same cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:02
S63	879	(magnetic with memory with cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:03
S64	324	((magnetic near3 memory) with cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:04
S66	5	((magnetic near2 core) with cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:05
S65	346	((core near2 memory) with cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/04 21:05
S67	0	2003/0046493	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:03
S58	13	(mram same cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:03
S68	2	"20030046493"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:06
S70	8	(destructive with read) and (writeback with updat\$3) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:11
S69	30	(destructive with read) and writeback and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 16:11

S71	4	pfram and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:12
S72	6	((polymer with ferroelectric with memory) same cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:15
S74	6	(((polymer with ferroelectric with memory) pfram) and cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:16
S73	6	(((polymer with ferroelectric with memory) pfram) same cache) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:16
S75	156	((polymer with ferroelectric with memory) pfram) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:17
S76	5232	((cache with any) with memory) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:18
S78	35	(cache near3 (any near type near2 memory)) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:20
S77	1796	(cache near5 (any near3 memory)) and @ad <"20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/08 18:20
S81	157	((((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and lru) and ((time period)) and ((clock time) with period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 14:48
S80	3615	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 14:48

S79	372	((711/143).CCLS.) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 14:48
S82	14	((711/118,154,156,160,166,167).CCLS.) and @ad < "20010831") and (lru and bitmap)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/09 14:49
S83	4	(pfram with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:28
S85	3792	((circula\$4 recircula\$4) near2 register) and @ad < "20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:30
S84	8021	((circula\$4 recircula\$4) with register) and @ad < "20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:30
S86	1586	((recircula\$4) near2 register) and @ad < "20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 17:32
S88	7644	(magnetic with bubble) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:32
S87	168	(((recircula\$4) near2 register) with read) and @ad < "20010131"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:32
S89	4178	(magnetic with bubble with memory) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:33
S90	274	S89 and circula\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:36

S91	7	S90 and (destructive with read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:41
S92	496	(destructive near read) with memory and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 21:49
S94	9	S93 and (non near volatile)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 22:52
S93	53	S92 and (writeback (write adj back))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/05 22:52
L3	14	((711/118,154,156,160,166,167). CCLS.) and @ad < "20010831" and (((clock time) with period) with bit) and lru)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:54
L2	158	(((711/118,154,156,160,166, 167).CCLS.) and @ad < "20010831") and lru) and (time period)) and ((clock time) with period)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:54
L1	3660	((711/118,154,156,160,166,167). CCLS.) and @ad < "20010831"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/08 10:54